

7.13 References

- Abayateye, F., Fornssler, B., Feng, C., D'Arcy, C., & Alphonsus, K. (2022). Prescription drug misuse among adults in Canada: A scoping review. *Journal of Substance Use*, 28(3), 305–314. <https://doi.org/10.1080/14659891.2022.2053890>
- Abo-Rass, F., Shinan-Altman, S., & Werner, P. (2020). Depression illness representations among Arabs in Israel: A qualitative study comparing younger and older adults. *Journal of Cross-Cultural Gerontology*, 35(4), 353–366. <https://doi.org/10.1007/s10823-020-09413-9>
- Aggarwal, R., Kunik, M., & Asghar-Ali, A. (2017). Anxiety in later life. *Focus*, 15(2), 157–161. <https://doi.org/10.1176/appi.focus.20160045>
- Alberta Medical Association. (2025). *Alcohol use disorder in seniors*. <https://www.albertadoctors.org/news/publications/ops/alcohol-use-disorder-in-seniors/>
- Aldwin, C., Kurth, M., Brockmann, A., & Lee, H. S. (2023). Toward a lifespan theory of coping development: A social ecological approach. In E. A. Skinner & M. J. Zimmer-Gembeck (Eds.), *The Cambridge handbook of the development of coping* (pp. 59–78). Cambridge University Press.
- Allen, D. N., & Becker, M. L. (2019). Clinical interviewing. In G. Goldstein, D. N. Allen, & J. DeLuca (Eds.), *Handbook of psychological assessment* (4th ed., pp. 307–336). Elsevier Academic Press. <https://doi.org/10.1016/B978-0-12-802203-0.00010-9>
- Altunoz, U., Kokurcan, A., Kirici, S., Bastug, G., & Ozel-Kizil, E. T. (2018). Clinical characteristics of generalized anxiety disorder: Older vs. young adults. *Nordic Journal of Psychiatry*, 72(2), 97–102. <https://doi.org/10.1080/08039488.2017.1390607>
- American Psychiatric Association. (1980). *Diagnostic and statistical manual of mental disorders* (3rd ed.).
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.).
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.).
- American Psychiatric Association. (2022). *Diagnostic and statistical manual of mental disorders* (5th ed., text rev.). <https://doi.org/10.1176/appi.books.9780890425787>
- American Psychological Association. (2024). *APA guidelines for psychological practice with older adults*. <https://www.apa.org/practice/guidelines/guidelines-psychological-practice-older-adults.pdf>
- Anxiety Canada. (2025). *Anxiety in older adults*. Retrieved April 9, 2025, from <https://www.anxietycanada.com/older-adults/>
- Armstrong, L., Wuthrich, V. M., Knight, A., & Joiner, R. (2014). Worry and depression in the old and young: Differences and mediating factors. *Behaviour Change*, 31(4), 279–289. <https://psycnet.apa.org/doi/10.1017/bec.2014.21>
- Ayers, C. R., Najmi, S., Mayes, T. L., & Dozier, M. E. (2015). Hoarding disorder in older adulthood. *American Journal of Geriatric Psychiatry*, 23(4), 416–422. <https://doi.org/10.1016/j.jagp.2014.05.009>
- Bach, B., Kramer, U., Doering, S., di Giacomo, E., Hutsebaut, J., Kaera, A., De Panfilis, C., Schmahl, C., Swales, M., Taubner, S., & Renneberg, B. (2022). The ICD-11 classification of personality disorders: A European perspective on challenges and opportunities. *Borderline Personality Disorder and Emotional Dysregulation*, 9(12), Article 12. <https://doi.org/10.1186/s40479-022-00182-0>
- Ballard, C., Kales, H. C., Lyketsos, C., Aarsland, D., Creese, B., Mills, R., Williams, H., & Sweet, R. A. (2020). Psychosis in Alzheimer's disease. *Current Neurology and Neuroscience Reports*, 20(12), Article 57. <https://doi.org/10.1007/s11910-020-01074-y>
- Balsamo, M., Cataldi, F., Carlucci, L., & Fairfield, B. (2018). Assessment of anxiety in older adults: A review of self-report measures. *Clinical Interventions in Aging*, 13, 573–593. <https://doi.org/10.2147/CIA.S114100>
- Bar-Tur, L. (2021). Fostering well-being in the elderly: Translating theories on positive aging to practical approaches. *Frontiers in Medicine*, 8, Article 517226. <https://doi.org/10.3389/fmed.2021.517226>
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *BDI-II manual*. Psychological Corporation. <https://www.brown.edu/academics/public-health/research/mens-health-initiative/bdiii>
- Bedi, S., & Woody, S. R. (2025). Social networks in the context of hoarding disorder: A cross-sectional study. *Journal of Obsessive-Compulsive and Related Disorders*, 45, Article 100949. <https://doi.org/10.1016/j.jocrd.2025.100949>
- Bednarczyk, E., Cook, S., Brauer, R., & Garfield, S. (2022). Stakeholders' views on the use of psychotropic medication in older people: A systematic review. *Age and Ageing*, 51(3), Article afac060. <https://doi.org/10.1093/ageing/afac060>
- Beghi, M., Butera, E., Cerri, C. G., Cornaggia, C. M., Febbo, F., Mollica, A., Berardino, G., Piscitelli, D., Resta, E., Logroscino, G., Daniele, A., Altamura, M., Bellomo, A., Panza, F., & Lozupone, M. (2021). Suicidal behaviour in older age: A systematic review of risk factors associated to suicide attempts and completed suicides. *Neuroscience & Biobehavioral Reviews*, 127, 193–211. <https://doi.org/10.1016/j.neubiorev.2021.04.011>
- Belzak, L., & Halverson, J. (2018). The opioid crisis in Canada: A national perspective. *Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice*, 38(6). <https://doi.org/10.24095/hpcdp.38.6.02>
- Biella, M. M., Borges, M. K., Strause, J., Mauer, S., Martinelli, J. E., & Aprahamian, I. (2019). Subthreshold depression needs a prime time in old age psychiatry? A narrative review of current evidence. *Neuropsychiatric Disease and Treatment*, 15, 2763–2772. <https://doi.org/10.2147/ndt.s223640>
- Blackburn, P., Wilkins-Ho, M., & Weise, B. (2017). Depression in older adults: Diagnosis and management. *BC Medical Journal*, 59(3), 171–177. <https://bcmj.org/articles/depression-older-adults-diagnosis-and-management>
- Brakoulias, V., & Milicevic, D. (2015). Assessment and treatment of hoarding disorder. *Australasian Psychiatry*, 23(4), 358–360. <https://doi.org/10.1177/1039856215587235>
- Bratiotis, C., Muroff, J., Lin, N. X. Y. (2021). Hoarding disorder: Development in conceptualization, intervention, and evaluation. *Focus*, 9(4), 392–404. <https://doi.org/10.1176/appi.focus.20210016>
- Bryant, C. (2017). Psychological interventions for older adults: Evidence-based treatments for depression, anxiety, and carer stress. In H. Chiu & K. Shulman (Eds.), *Mental health and illness of the elderly* (pp. 481–514). Springer Science + Business Media. https://doi.org/10.1007/978-981-10-2414-6_21

- Bulut, E. A., & Turan, A. (2022). Abuse/misuse of prescription medications in older adults. *Clinical Geriatric Medicine*, 38(1), 85–97. <https://doi.org/10.1016/j.cger.2021.07.004>
- Butt, P. R., White-Campbell, M., Canham, S., Dowsett Johnson, A., Indome, E. O., Purcell, B., Tung, J., & Van Bussel, L. (2020). Canadian guidelines on alcohol use disorder among older adults. *Canadian Geriatrics Journal*, 23(1), 143–148. <https://cgjonline.ca/index.php/cgj/article/view/425>
- Cahir, C., Curran, C., Walsh, C., Hickey, A., Brannigan, R., Kirke, C., Williams, D. -J., & Bennett, K. (2023). Adverse drug reactions in an ageing Population (ADAPT) study: Prevalence and risk factors associated with adverse drug reaction-related hospital admissions in older patients. *Frontiers in Pharmacology*, 13, Article 1029067. <https://doi.org/10.3389/fphar.2022.1029067>
- Cai, H., Jin, Y., Liu, R., Zhang, Q., Su, Z., Ungvari, G. S., Tang, Y. L., Ng, C. H., Li, X. -H., & Xiang, Y. -T. (2023). Global prevalence of depression in older adults: A systematic review and meta-analysis of epidemiological surveys. *Asian Journal of Psychiatry*, 80, Article 103417. <https://doi.org/10.1016/j.ajp.2022.103417>
- Calabrese, J., & Khalili, Y. A. (2023). *Psychosis*. Statpearls. Retrieved April 12, 2025, from <https://www.ncbi.nlm.nih.gov/books/NBK546579/>
- Canadian Centre on Substance Use and Addiction. (2018). *Improving quality of life: Substance use and aging*. <https://www.ccsa.ca/sites/default/files/2022-04/CCSA-Substance-Use-and-Aging-Report-2018-en%20%28ID%2023186%29.pdf>
- Canadian Centre on Substance Use and Addiction. (2020). *Cannabis*. <https://www.ccsa.ca/sites/default/files/2021-12/CCSA-Canadian-Drug-Summary-Cannabis-2020-en.pdf>
- Canadian Centre on Substance Use and Addiction. (2023). *Canada's guidance on alcohol and health, public summary: Drinking less is better (infographic)*. <https://ccsa.ca/en/canadas-guidance-alcohol-and-health-public-summary-drinking-less-better-infographic>
- Canadian Centre on Substance Use and Addiction. (2025). *Opioids*. Retrieved April 11, 2025, from <https://www.ccsa.ca/en/guidance-tools-resources/substance-use-and-addiction/opioids>
- Canadian Coalition for Seniors' Mental Health. (2021). *Canadian guidelines on prevention, assessment and treatment of depression among older adults. 2021 Guideline Update*. https://ccsmh.ca/wp-content/uploads/2021/06/CCSMH_Depression_Guidelines_FINAL_EN.pdf
- Canadian Coalition for Seniors' Mental Health. (2019). *Canadian guidelines on alcohol use disorder among older adults*. <https://ccsmh.ca/substance-use-addiction/alcohol-guidelines/>
- Canadian Institute for Health Information. (2015). *Worsened depressive mood in long-term care*. <https://open.alberta.ca/dataset/63191f8a-1b81-4ad7-950d-61e834974bfb/resource/309e6d3e-645e-458a-b53d-6d14d7cea602/download/cc-cihi-rai-guide-2015-graphic5.pdf>
- Canadian Institute for Health Information. (2017). *Alcohol harm in Canada: Examining hospitalizations entirely caused by alcohol and strategies to reduce alcohol harm*. <https://www.cihi.ca/sites/default/files/document/report-alcohol-hospitalizations-en-web.pdf>
- Canadian Institute for Health Information. (2024). *Hospitalizations entirely caused by alcohol*. Retrieved April 12, 2025, from <https://www.cihi.ca/en/indicators/hospitalizations-entirely-caused-by-alcohol>
- Canadian Mental Health Association. (2019). *Cohesive, collaborative, collective: Advancing mental health promotion in Canada*. <https://cmha.ca/wp-content/uploads/2021/07/MHP-Summary-Report-FINAL-EN.pdf>
- Canuto, A., Weber, K., Baertschi, M., Andreas, S., Volkert, J., Dehoust, M. C., Sehner, S., Suling, A., Wegscheider, K., Ausin, B., Crawford, M. J., Da Ronch, C., Grassi, L., Hershkovitz, Y., Muñoz, M., Quirk, A., Rotenstein, O., Santos-Olmo, A. B., Shalev, A., ... Härter, M. (2018). Anxiety disorders in old age: Psychiatric comorbidities, quality of life, and prevalence according to age, gender, and country. *American Journal of Geriatric Psychiatry*, 26(2), 174–85. <https://doi.org/10.1016/j.jagp.2017.08.015>
- Cappelletti, S., Cipolloni, J., Piacentino, D., & Aromatario, M. (2019). A lethal case of hoarding due to the combination of traumatic and confined space asphyxia. *Forensic Science, Medicine and Pathology*, 15, 114–118. <https://doi.org/10.1007/s12024-018-0056-x>
- Capon, W., Varidel, M., Hickie, I. B., Crouse, J. J., Rosenberg, S., Dimitropoulos, G., LaMonica, H. M., Scott, E. M., & Iorfino, F. (2025). Matching needs to services: Development of a service needs index for determining care pathways in youth mental health. *The Australian and New Zealand Journal of Psychiatry*, 59(9), 776–785. <https://doi.org/10.1177/00048674251336030>
- Carson, J., Muir, M., Clark, S., Wakely, E., & Chander, A. (2010). Piloting a gratitude intervention in a community mental health team. *Groupwork*, 20(3), 73–87. <https://doi.org/10.1921/gpwk.v20i3.706>
- Carstensen, L. L. (1992). Social and emotional patterns in adulthood. Support for the socio-emotional selectivity hypothesis. *Psychology and Aging*, 7(3), 331–338. <http://dx.doi.org/10.1037/0882-7974.7.3.331>
- Carstensen, L. L., & DeLiema, M. (2018). The positivity effect: a negativity bias in youth fades with age. *Current Opinion in Behavioral Sciences*, 19, 7–12. <https://doi.org/10.1016/j.cobeha.2017.07.009>
- Carstensen, L. L., Fung, H. H., & Charles, S. T. (2003). Socio-emotional selectivity theory and the regulation of emotion in the second half of life. *Motivation and Emotion*, 27(2), 103–123. <https://doi.org/10.1023/A:1024569803230>
- Carstensen, L. L., Isaacowitz, D. M., & Charles, S. T. (1999). Taking time seriously: A theory of socioemotional selectivity. *American Psychologist*, 54(3), 165–181. <http://dx.doi.org/10.1037/0003-066X.54.3.165>
- Carter, M. W., Yang, B. K., Davenport, M., & Kabel, A. (2019). Increasing rates of opioid misuse among older adults visiting emergency departments. *Innovation in Aging*, 3(1), Article igz002. <https://doi.org/10.1093/geroni/igz002>
- Cath, D., Nizar, K., Boomsma, D., & Mathews, C. (2017). Age-specific prevalence of hoarding and obsessive-compulsive disorder: A population-based study. *The American Journal of Geriatric Psychiatry*, 25(3), 245–255. <https://doi.org/10.1016/j.jagp.2016.11.006>
- Center for Behavioral Health Statistics and Quality. (2020). *Results from the 2019 National Survey on drug use and health: Detailed tables*. Substance Abuse and Mental Health Services Administration. <https://www.samhsa.gov/data/>
- Centre for Addiction and Mental Health. (n.d.). *Mental illness and addiction: Facts and statistics*. Retrieved April 2, 2025, from <https://www.camh.ca/en/driving-change/the-crisis-is-real/mental-health-statistics>
- Centre for Addiction and Mental Health. (2023). *Aging and mental health policy framework*. <https://www.camh.ca/-/media/files/pdfs---public-policy-submissions/camh-aging-and-mental-health-policy-framework-pdf.pdf>

- Cerino, E. S., Charles, S. T., Piazza, J. R., Rush, J., Looper, A. M., Witzel, D. D., Mogle, J., & Almeida, D. M. (2024). Preserving what matters: Longitudinal changes in control over interpersonal stress and noninterpersonal stress in daily life. *The Journals of Gerontology: Series B, Psychological Sciences and Social Sciences*, 79(4), Article gbae012. <https://doi.org/10.1093/geronb/gbae012>
- Cesari, M., Amuthavalli, J. A., Cherubini, A., Ancafora, M. A., Assantachai, P., Barbagallo, A., Coumen, M., Diaz, T., Fuggle, N., Hammami, S. Q., Madden, K., Matijevic, R., Muchel, J. -P., Petrovic, M., Sieber, C., Veronese, N., Martic, F. C., Banerjee, A., & Rowe, J. W. (2024). Defining the role and reach of a geriatrician. *The Lancet Healthy Longevity*, 5(11), Article 100644. <https://doi.org/10.1016/j.lanhl.2024.100644>
- Chaplin, R., Farquharson, L., Clapp, M., & Crawford, M. (2015). Comparison of access, outcomes, and experiences of older adults and working age adults in psychological therapy. *International Journal of Geriatric Psychiatry*, 30(2), 178–184. <https://doi.org/10.1002/gps.4122>
- Chen, L., Shi, S., Zhang, M., & Zhao, Y. (2022). A general review of hoarding disorder and its comorbidities. *Advances in Social Science, Education and Humanities Research*, 664, 906–912. <http://dx.doi.org/10.2991/assehr.k.220504.166>
- Chu, C. H., Quan, A. M. L. H., & McGilton, K. S. (2021). Depression and functional mobility decline in long term care home residents with dementia: A prospective cohort study. *Canadian Geriatrics Journal*, 24(4), 326–331. <https://doi.org/10.5770/cgj.24.511>
- Chudzińska, M., Wołowicz, L., Banach, J., Rogowicz, D., & Grześk, G. (2022). Alcohol and cardiovascular diseases-do the consumption pattern and dose make the difference? *Journal of Cardiovascular Development and Disease*, 9(10), Article 317. <https://doi.org/10.3390/jcd9100317>
- Clark, L. A., Cuthbert, B., Lewis-Fernández, R., Narrow, W. E., & Reed, G. M. (2017). Three approaches to understanding and classifying mental disorder: ICD-11, DSM-5, and the National Institute of Mental Health's Research Domain Criteria (RDoC). *Psychological Science in the Public Interest*, 18(2), 72–145. <https://doi.org/10.1177/1529100617727266>
- Cleveland Clinic. (2022). *Cleveland Clinic Canada Survey shows almost a quarter of Canadians are unaware of what diets are heart healthy*. <https://newsroom.clevelandclinic.org/2022/02/23/cleveland-clinic-canada-survey-shows-almost-a-quarter-of-canadians-are-unaware-of-what-diets-are-heart-healthy>
- Conejero, I., Olié, E., Courtet, P., & Calati, R. (2018). Suicide in older adults: Current perspectives. *Clinical Interventions in Aging*, 13, 691–699. <https://doi.org/10.2147/cia.s130670>
- Conn, D., Blumberger, D. M., Grief, C., & Dilara, A. (2021). *Canadian guidelines on prevention, assessment and treatment of depression among older adults*. Canadian Coalition for Seniors' Mental Health and the Canadian Academy of Geriatric Psychiatry. https://ccsmh.ca/wp-content/uploads/2021/06/CCSMH_Depression_Guidelines_FINAL_EN.pdf
- Cook, T. M., & Wang, J. (2010). Descriptive epidemiology of stigma against depression in a general population in Alberta. *BMC Psychiatry*, 10, Article 29. <https://doi.org/10.1186/1471-244X-10-29>
- Cosco, T. D., Randa, C., Hopper, S., Wagner, K. R., Pickering, J., & Best, J. R. (2022). Ageing and mental health in Canada: Perspectives from law, policy, and longitudinal research. *Journal of Population Ageing*, 5(3), 863–878. <https://doi.org/10.1007/s12062-022-09389-z>
- Crestani, C., Masotti, V., Corradi, N., Schirripa, M. L., & Cecchi, R. (2019). Suicide in the elderly: A 37-years retrospective study. *Acta Biomedica*, 90(1), 68–76. <https://doi.org/10.23750/abm.v90i1.6312>
- Crocco, E. A., Jaramillo, S., Cruz-Ortiz, C., & Camfield, K. (2017). Pharmacological management of anxiety disorders in the elderly. *Current Treatment Options in Psychiatry*, 4(1), 33–46. <https://doi.org/10.1007/s40501-017-0102-4>
- Cuijpers, P., Karyotaki, E., Eckshtain, D., Ng, M. Y., Corteselli, K., Noma, H., Quero, S., & Weisz, J. R. (2020). Psychotherapy for depression across different age groups: A systematic review and meta-analysis. *JAMA Psychiatry*, 77(7), 694–702. <https://doi.org/10.1001/jamapsychiatry.2020.0164>
- D'Aiuto, C., Lunghi, C., Guénette, L., Berbiche, D., Bertrand, K., & Vasiliadis, H. -M. (2023). Health care system costs related to potentially inappropriate medication use involving opioids in older adults in Canada. *BMC Health Services Research*, 23, Article 1295. <https://doi.org/10.1186/s12913-023-10303-2>
- Darke, S., & Duflou, J. (2017). Characteristics, circumstances and pathology of sudden or unnatural. *Journal of Forensic and Legal Medicine*, 45, 36–40. <http://dx.doi.org/10.1016/j.jflm.2016.11.004>
- Datani, S., Rodés-Guirao, L., Ritchie, H., Roser, M., & Ortiz-Ospina, E. (2023). *Suicides*. Our World in Data. Retrieved October 26, 2025, from <https://ourworldindata.org/suicide>
- Davidson, E. J., Dozier, M. E., Pittman, J. O. E., Mayes, T. L., Blanco, B. H., Gault, J. D., Schwarz, L. J., & Ayers, C. R. (2019). Recent advances in research on hoarding. *Current Psychiatry Reports*, 1(9), Article 91. <https://doi.org/10.1007/s11920-019-1078-0>
- Day, B. F., & Rosenthal, G. L. (2019). Social isolation proxy variables and prescription opioid and benzodiazepine misuse among older adults in the U.S.: A cross-sectional analysis of data from the National Survey on Drug Use and Health, 2015–2017. *Drug and Alcohol Dependence*, 1(204), Article 107518. <https://doi.org/10.1016/j.drugalcdep.2019.06.020>
- De Vito, A. N., Calamia, M., Weitzner, D., & Bernstein, J. P. K. (2020). Assessment of anxiety in older adults: Psychometric properties and relationships with self-reported functional impairment. *International Psychogeriatrics*, 32(4), 505–513. <https://doi.org/10.1017/S1041610219001145>
- Devita, M., De Salvo, R., Ravelli, A., De Rui, M., Coin, A., Sergi, G., & Mapelli, D. (2022). Recognizing depression in the elderly: Practical guidance and challenges for clinical management. *Neuropsychiatric Disease and Treatment*, 18, 2867–2880. <https://doi.org/10.2147/NDT.S347356>
- Diego, D. L. (2022). Late-life suicide in an aging world. *Nature Aging*, 2, 7–12. <https://doi.org/10.1038/s43587-021-00160-1>
- Donovan, N. J., & Blazer, D. (2020) Social isolation and loneliness in older adults: Review and commentary of a National Academies Report. *American Journal of Geriatric Psychiatry*, 28(12), 1233–1244. <https://doi.org/10.1016/j.jagp.2020.08.005>
- Drill, R., Nakash, O., DeFife, J. A., & Westen, D. (2015). Assessment of clinical information: Comparison of the validity of the Structured Clinical Interview (the SCID) and the Clinical Diagnostic Interview. *The Journal of Nervous and Mental Disease*, 203(6), 459–462. <https://doi.org/10.1097/nmd.0000000000000300>
- Duckworth, A. L., Steen, T. A., & Seligman, M. E. (2005). Positive psychology in clinical practice. *Annual Review of Clinical Psychology*, 1, 629–651. <https://doi.org/10.1146/annurev.clinpsy.1.102803.144154>
- Duffy, D., Enrique, A., Connell, S., Connolly, C., & Richards, D. (2020). Internet-delivered cognitive behavior therapy as a prequel to face-to-face therapy for depression and anxiety: A naturalistic observation. *Frontiers in Psychiatry*, 9(10), Article 902. <https://doi.org/10.3389/fpsy.2019.00902>

- Edelstein, B. A., Bamonti, P. M., Gregg, J. J., & Gerolimos, L. A. (2015). Depression in later life. In P. A. Lichtenberg, B. T. Mast, B. D. Carpenter, & J. Loebach Wetherell (Eds.), *APA handbook of clinical geropsychology, Assessment, treatment, and issues of later life* (Vol. 2, pp. 3–47). American Psychological Association. <https://doi.org/10.1037/14459-001>
- Elias, S. M. S. (2018). Prevalence of loneliness, anxiety, and depression among older people living in long-term care: A review. *International Journal of Care Scholars*, 1(1), 39–43. <https://journals.iium.edu.my/ijcs/index.php/ijcs/article/view/44/9>
- Elshikh, U., Sheik, R., Saeed, R. K. M., Chivese, T., & Hassan D. A. (2023). Barriers and facilitators of older adults for professional mental health help-seeking: A systematic review. *BMC Geriatrics*, 34, Article 516. <https://doi.org/10.1186/s12877-023-04229-x>
- Etzelmuller, A., Vis, C., Karyotaki, E., Baumeister, H., Titov, N., Berking, M., Cuijpers, P., Riper, H., & Ebert, D. D. (2020). Effects of internet-based cognitive behavioral therapy in routine care for adults in treatment for depression and anxiety: Systematic review and meta-analysis. *Journal of Medical Internet Research*, 22(8), Article e18100. <https://doi.org/10.2196/18100>
- Fabiano F., & Haslam, N. (2020). Diagnostic inflation in the DSM: A meta-analysis of changes in the stringency of psychiatric diagnosis from DSM-III to DSM-5. *Clinical Psychology Review*, 80, Article 101889. <https://doi.org/10.1016/j.cpr.2020.101889>
- Fairfield, B., Padulo, C., Bortolotti, A., Perfetti, B., Mammarella, N., & Balsamo, M. (2022). Do older and younger adults prefer the positive or avoid the negative? *Brain Sciences*, 12(3), 393. <https://doi.org/10.3390/brainsci12030393>
- Galderisi, S. (2024). The need for a consensual definition of mental health. *World Psychiatry*, 23(1), 52–53. <https://doi.org/10.1002/wps.21150>
- Galderisi, S., Heinz, A., Kastrup, M., Beezhold, J., & Sartorius, N. (2015). Toward a new definition of mental health. *World Psychiatry*, 14(2), 231–233. <https://doi.org/10.1002/wps.20231>
- Galiana, L., Tomás, J. M., Fernández, I., & Oliver, A. (2020). Predicting well-being among the elderly: The role of coping strategies. *Frontiers in Psychology*, 11, Article 616. <https://doi.org/10.3389/fpsyg.2020.00616>
- Gautam, S., Jain, A., Gautam, M., & Gautam, A. (2018). Clinical practice guideline for management of psychoses in elderly. *Indian Journal of Psychiatry*, 60(Suppl. 3), S363–S370. <https://doi.org/10.4103/0019-5545.224475>
- Geduldig, E. T., & Kellner, C. H. (2016). Electroconvulsive therapy in the elderly: New findings in geriatric depression. *Current Psychiatry Reports*, 18(4), 40. <https://doi.org/10.1007/s11920-016-0674-5>
- Gerlach, L. B., Maust, D. T., Solway, E., Kirch, M., Kullgren, J. T., Singer, D. C., & Malani, P. N. (2022). Perceptions of overall mental health and barriers to mental health treatment among us older adults. *American Journal of Geriatric Psychiatry*, 30(4), 521–526. <https://doi.org/10.1016/j.jagp.2021.09.006>
- Getz, L. (2025). Hoarding—A hazard for older adults. *Today's Geriatric Medicine*, 13(1), Article 10. <https://www.todaysgeriaticmedicine.com/archive/JF20p10.shtml>
- Giacosa, A., Barale, R., Bavaresco, L., Faliva, M. A., Gerbi, V., La Vecchia, C., Negri, E., Opizzi, A., Perna, S., Pezzotti, M., & Rondanelli, M. (2016). Mediterranean way of drinking and longevity. *Critical Review of Food Science and Nutrition*, 56(4), 635–640. <https://doi.org/10.1080/10408398.2012.747484>
- Goodman, S., Dann, M. J., Fataar, F., & Abramovici, H. (2024). How have cannabis use and related indicators changed since legalization of cannabis for non-medical purposes? Results of the Canadian Cannabis Survey 2018–2022. *International Journal of Drug Policy*, 127, Article 104385. <https://doi.org/10.1016/j.drugpo.2024.104385>
- Gould, C. E., Coulson, M. C., & Howard, R. J. (2012). Efficacy of cognitive behavioral therapy for anxiety disorder in older people: A meta-analysis and meta-regression of randomized control trials. *Journal of the American Geriatrics Society*, 60(2), 218–229. <https://doi.org/10.1111/j.1532-5415.2011.03824.x>
- Government of Canada. (2016). *Working together to prevent suicide in Canada: The Federal framework for suicide prevention*. <https://www.canada.ca/content/dam/canada/public-health/migration/publications/healthy-living-vie-saine/framework-suicide-cadre-suicide/alt/framework-suicide-cadre-suicide-eng.pdf>
- Government of Canada. (2019). *Protective and risk factors for mental health*. <https://www.canada.ca/en/public-health/services/protective-risk-factors-mental-health.html#a2>
- Government of Canada. (2024a). *Cannabis in Canada. Get the facts*. Retrieved January 25, 2022, from <https://www.canada.ca/en/services/health/campaigns/cannabis.html>
- Government of Canada. (2024b). *Cannabis use (non-medical) in Canada*. Retrieved April 12, 2025, from <https://health-infobase.canada.ca/cannabis/>
- Government of Canada. (2025). *Opioid- and stimulant-related harms in Canada*. Retrieved April 12, 2025, from <https://health-infobase.canada.ca/substance-related-harms/opioids-stimulants/>
- Granier, K. L., & Segal, D. L. (2021). Diverse aspects of worry among younger and older adults: A multifaceted approach. *Psychology*, 12, 441–461. <https://www.scirp.org/journal/psych>
- Greenawalt, K. E., Orsega-Smith, E., Turner, J. L., Goodwin, S., & Rathie, E. J. (2018). The impact of “The Art of Happiness” class on community dwelling older adults: A positive psychology intervention. *Activities, Adaptation & Aging*, 43(2), 118–132. <https://doi.org/10.1080/01924788.2018.1493898>
- Grenier, S., Payette, M. -C., Gunther, B., Askari, S., Desjardins, F. F., Raymond, B., & Berbiche, D. (2018). Association of age and gender with anxiety disorders in older adults: A systematic review and meta-analysis. *International Journal of Geriatric Psychiatry*, 34(3), 397–407. <https://doi.org/10.1002/gps.5035>
- Ha, J. H., Burt, J., Randell, S., & VanSteelandt, A. (2024). Accidental substance-related acute toxicity deaths in older adults in 2016 and 2017: A national chart review study. *Health Promotion and Chronic Disease Prevention in Canada*, 44(3), 89–100. <https://doi.org/10.24095/hpcdp.44.3.03>
- Haigh, E. A. P., Bogucki, O. E., Sigmon, S. T., & Blazer, D. G. (2018). Depression among older adults: A 20-year update on five common myths and misconceptions. *The American Journal of Geriatric Psychiatry*, 26(1), 107–122. <https://doi.org/10.1016/j.jagp.2017.06.011>
- Han, B. H., & Palamar, J. J. (2020). Trends in cannabis use among older adults in the United States, 2015–2018. *JAMA Internal Medicine*, 180(4), 609–611. <https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2761271>
- Hao X, Jia Y, Chen J, Zou C, Jiang C. (2023). Subthreshold Depression: A systematic review and network meta-analysis of non-pharmacological interventions. *Neuropsychiatric Disease and Treatment*, 19, 2149–2169. <https://doi.org/10.2147/NDT.S425509>

- Hapke, U., Cohrdes, C., & Nübel, J. (2019). Depressive symptoms in a European comparison - Results from the European Health Interview Survey (EHIS) 2. *Journal of Health Monitoring*, 4(4), 57–65. <https://doi.org/10.25646/6227>
- Hatt, L. (2022). *The opioid crisis in Canada* (Publication No. 2021-23-E). Library of Parliament. <https://lop.parl.ca/staticfiles/PublicWebsite/Home/ResearchPublications/HillStudies/PDF/2021-23-E.pdf>
- Hazlett-Stevens, H., Singer, J., & Chong, A. (2019). Mindfulness-based stress reduction and mindfulness-based cognitive therapy with older adults: A qualitative review of randomized controlled outcome research. *Clinical Gerontologist*, 42(4), 347–358. <https://doi.org/10.1080/07317115.2018.1518282>
- Health Canada. (2023). *Cannabis use among older adults in Canada: Exploring perspectives and experiences following cannabis legalization. Final Report*. https://publications.gc.ca/collections/collection_2024/sc-hc/H14-595-2024-eng.pdf
- Health Quality Ontario. (2019). Internet-delivered cognitive behavioural therapy for major depression and anxiety disorders: A health technology assessment. *Ontario Health Technology Assessment*, 19(6), 1–199. <https://pubmed.ncbi.nlm.nih.gov/30873251/>
- Heckhausen, J., Wrosch, C., & Schulz, R. (2010). A motivational theory of life-span development. *Psychological Review*, 117(1), 32–60. <https://doi.org/10.1037/a0017668>
- Hu, T., Zhao, X., Wu, M., Li, Z., Luo, L., Yang, C., & Yang, F. (2022). Prevalence of depression in older adults: A systematic review and meta-analysis. *Psychiatry Research*, 311, Article 114511. <https://doi.org/10.1016/j.psychres.2022.114511>
- Huhn, A. S., Hobelmann, J. G., Ramirez, A., Strain, E. C., & Oyler, G. A. (2019). Trends in first-time treatment admissions for older adults with alcohol use disorder: Availability of medical and specialty clinical services in hospital, residential, and outpatient facilities. *Drug and Alcohol Dependence*, 205, Article 107694. <https://doi.org/10.1016/j.drugalcdep.2019.107694>
- Hybels, C. F., Landerman, L. R., & Blazer, D. G. (2011). Age differences in symptom expression in patients with major depression. *International Journal of Geriatric Psychiatry*, 27(6), 601–611. <https://doi.org/10.1002/gps.2759>
- Iaboni, L., Grenier, S., & the Canadian Guidelines for the Assessment and Treatment of Anxiety in Older Adults Working Group. (2024). *Canadian guidelines for the assessment and treatment of anxiety in older adults*. Canadian Coalition for Seniors' Mental Health. https://ccsmh.ca/wp-content/uploads/2024/01/Anxiety-Clinical-Guidelines_ENG_digital_final.pdf
- International Advisory Group for the Revision of ICD-10 Mental and Behavioural Disorders. (2011). A conceptual framework for the revision of the ICD-10 classification of mental and behavioural disorders. *World Psychiatry*, 10(2), 86–92. <https://doi.org/10.1002/j.2051-5545.2011.tb00022.x>
- Ivanov, V. Z., Mataix-Cols, D., Serlachius, E., Brander, G., Elmquist, A., Enander, J., & Rück, C. (2020). The developmental origins of hoarding disorder in adolescence: A longitudinal clinical interview study following an epidemiological survey. *European Child and Adolescent Psychiatry*, 30(3), 415–425. <https://doi.org/10.1007/s00787-020-01527-2>
- Jacobs, M. L., & Bamonti, P. M. (2019). *Clinical training concerns in mental health service provision to older persons*. Oxford Research Encyclopedia of Psychology. Retrieved April 14, 2025, from <https://oxfordre.com/psychology/view/10.1093/acrefore/9780190236557.001.0001/acrefore-9780190236557-e-440>
- Jayasekara, R., Procter, N., Harrison, J., Skelton, K., Hampel, S., Draper, R., & Deuter, K. (2015). Cognitive behavioural therapy for older adults with depression: A review. *Journal of Mental Health*, 24(3), 168–71. <https://doi.org/10.3109/09638237.2014.971143>
- Jones, P. B. (2018). Adult mental health disorders and their age at onset. *The British Journal of Psychiatry*, 202(s54), s5–s10. <https://doi.org/10.1192/bjp.bp.112.119164>
- Jones, S. L., Hadjistavropoulos, H. D., & Soucy, J. N. (2016). A randomized controlled trial of guided internet-delivered cognitive behaviour therapy for older adults with generalized anxiety. *Journal of Anxiety Disorders*, 37, 1–9. <https://doi.org/10.1016/j.janxdis.2015.10.006>
- Juurlink, D. N., Herrmann, N., Szalai, J. P., Kopp, A., & Redelmeier, D. A. (2004). Medical illness and risk of suicide in the elderly. *Archives of Internal Medicine*, 164(11), 1179–1184. <https://doi.org/10.1001/archinte.164.11.1179>
- Katz, S. (1983). Assessing self-maintenance: Activities of daily living, mobility and instrumental activities of daily living. *Journal of the American Geriatrics Society*, 31(12), 721–727. <https://doi.org/10.1111/j.1532-5415.1983.tb03391.x>
- Kessler, R. C., Birnbaum, H., Bromet, E., Hwang, I., Sampson, N., & Shahly, V. (2010). Age differences in major depression: Results from the National Comorbidity Survey Replication (NCS-R). *Psychological Medicine*, 40(2), 225–237. <https://doi.org/10.1017/s0033291709990213>
- Khan, W. U., & Rajji, T. K. (2019). Schizophrenia in later life: Patient characteristics and treatment strategies. *Psychiatric Times*, 36(3). <https://www.psychiatristimes.com/view/schizophrenia-later-life-patient-characteristics-and-treatment-strategies>
- Kirkham, J., Keng, A., Conn, D., Benjamin, S., Seitz, D., Rivard, M. F., Martinussen, B., Grief, C., Checkland, C., Rabheru, K., & Canadian Coalition for Senior's Mental Health (CCSMH) Policy Working Group. (2024). Timely yet long overdue: Canadian standards for long-term care homes. *Canadian Geriatrics Journal*, 27(1), 76–79. <https://doi.org/10.5770/cgj.27.706>
- Kirkbride, J. B., Anglin, D. M., Colman, I., Dykxhoorn, J., Jones, P. B., Patalay, P., Pitman, A., Soneson, E., Steare, T., Wright, T., & Griffiths, S. L. (2024). The social determinants of mental health and disorder: Evidence, prevention and recommendations. *World Psychiatry*, 23(1), 58–90. <https://doi.org/10.1002/wps.21160>
- Knight, B. G., & Winterbotham, S. (2020). Rural and urban older adults' perceptions of mental health services accessibility. *Aging and Mental Health*, 24(6), 978–984. <https://doi.org/10.1080/13607863.2019.1576159>
- Korhonen, K., Moustgaard, H., Tarkiainen, L., Östergren, O., Costa, G., Kjaer Urhoj, S., & Martikainen, P. (2021). Contributions of specific causes of death by age to the shorter life expectancy in depression: A register-based observational study from Denmark, Finland, Sweden and Italy. *Journal of Affective Disorders*, 295, 831–838. <https://doi.org/10.1016/j.jad.2021.08.076>
- Kurth, M. L., Witzel, D. D., Cerino, E. S., & Almeida, D. M. (2024). Longitudinal changes in coping strategies across midlife and older adulthood: findings from the midlife in the United States study. *Aging & Mental Health*, 29(3), 423–434. <https://doi.org/10.1080/13607863.2024.2396066>
- Laborde-Lahoz, P., El-Gabalawy, R., Kinley, J., Kirwin, P. D., Sareen, J., & Pietrzak, R. H. (2015). Subsyndromal depression among older adults in the USA: Prevalence, comorbidity, and risk for new-onset psychiatric disorders in late life. *International Journal of Geriatric Psychiatry*, 30(7), 677–685. <https://doi.org/10.1002/gps.4204>

- Lachman, M. E., Rosnick, C. B., & Röcke, C. (2009). The rise and fall of control beliefs and life satisfaction in adulthood: Trajectories of stability and change over ten years. In H. B. Bosworth & C. Hertzog (Eds.), *Aging and cognition: Research methodologies and empirical advances* (pp. 143–160). American Psychological Association.
- Laflamme, L., Vaez, M., Lundin, K., & Sengoelge, M. (2022). Prevention of suicidal behavior in older people: A systematic review of reviews. *PLoS One*, 17(1), Article e0262889. <https://doi.org/10.1371/journal.pone.0262889>
- Lai, H. M. X., Cleary, M., Sitharthan, T., & Hunt, G. E. (2015). Prevalence of comorbid substance use, anxiety and mood disorders in epidemiological surveys, 1990–2014: A systematic review and meta-analysis. *Drug and Alcohol Dependence*, 154, 1–13. <https://doi.org/10.1016/j.drugalcdep.2015.05.031>
- Lam, J., Aftab, A., Lee, E., & Jeste, D. (2021). Positive psychiatry interventions in geriatric mental health. *Current Treatment Options in Psychiatry*, 7(4), 471–488. <https://doi.org/10.1007/s40501-020-00228-6>
- Lavingia, R., Jones, K., & Asghar-Ali, A. A. (2020). A systematic review of barriers faced by older adults in seeking and accessing mental health care. *Journal of Psychiatric Practice*, 26(5), 367–382. <https://doi.org/10.1097/prs.0000000000000491>
- Lawton, M. P., & Brody, E. M. (1969). Assessment of older people: Self-maintaining and instrumental activities of daily living. *The Gerontologist*, 9(3), 179–186. https://doi.org/10.1093/geront/9.3_Part_1.179
- Lazarus, R., & Folkman, S. (1984). *Stress, appraisal, and coping*. Springer Publishing Company, Inc.
- Lisanby, S., McClintock, S. M., Alexopoulos, G., Bailine, S., Bernhardt, E., Briggs, M. C., Cullum, C. M., Deng, Z. D., Dooley, M., Geduldig, E. T., Greenberg, R. M., Husain, M. M., Kaliora, S., Knapp, R. G., Latoussakis, V., Liebman, L. S., McCall, W. V., Mueller, M., Petrides, G., ... the CORE/PRIDE Work Group. (2020). Neurocognitive effects of combined electroconvulsive therapy (ECT) and venlafaxine in geriatric depression: Phase 1 of the PRIDE study. *American Journal of Geriatric Psychiatry*, 28(3), 304–316. <https://doi.org/10.1016/j.jagp.2019.10.003>
- Loebach Wetherell, J. L., & Gatz, M. (2005). The Beck Anxiety Inventory in older adults with generalized anxiety disorder. *Journal of Psychopathology and Behavioral Assessment*, 27(1), 17–24. <https://doi.org/10.1007/s10862-005-3261-3>
- Lutz, J., & Van Orden, K. A. (2020). Sadness and worry in older adults: Differentiating psychiatric illness from normative distress. *Medical Clinics of North America*, 104(5), 843–854. <https://doi.org/10.1016/j.mcna.2020.05.001>
- MacCourt P., Wilson K., & Tourigny-Rivard, M. -F. (2018). *Guidelines for comprehensive mental health services for older adults in Canada*. Mental Health Commission of Canada. https://www.mentalhealthcommission.ca/wp-content/uploads/drupal/2018-10/Senior_Care_Guideline_2018_eng.pdf
- Medical Specialists. The. (2020). *Why do young adults get more stressed?* <https://www.cardiacscreen.co.uk/blog/why-do-young-adults-get-more-stressed/>
- Meléndez, J. C., Mayordomo, T., Sancho, P., Tomás, J. M. (2012). Coping strategies: Gender differences and development throughout lifespan. *Spanish Journal of Psychology*, 15(3), 1089–1098. https://doi.org/10.5209/rev_sjop.2012.v15.n3.39399
- Mental Health Commission of Canada. (2019). *Compendium of good practices for improving seniors mental health in Canada*. <https://mentalhealthcommission.ca/wp-content/uploads/2021/09/Compendium-of-Good-Practices-for-Improving-Seniors-Mental-Health-in-Canada.pdf>
- Mental Health Commission of Canada. (2025). *Men's mental health and suicide in Canada – Key takeaways*. Retrieved April 12, 2025, from <https://mentalhealthcommission.ca/resource/mens-mental-health-and-suicide-in-canada-key-takeaways/>
- Mitchell, N. (2023). *Mental health for older adults: 5 practical ways to boost your mood*. Mental Health Commission of Canada. Retrieved June 5, 2025, from <https://mentalhealthcommission.ca/blog-posts/mental-health-for-older-adults-5-practical-ways-to-boost-your-mood-2/>
- Morris, S. E., Sanislow, C. A., Pacheco, J., Vaidyanathan, U., Gordon, J. A., & Cuthbert, B. N. (2022). Revisiting the seven pillars of RDoC. *BMC Medicine*, 20, Article 220. <https://doi.org/10.1186/s12916-022-02414-0>
- Murphy, R. P., Reddin, C., Rosengren, A., Judge, C., Hankey, G. J., Ferguson, J., Alvarez-Iglesias, A., Oveisgharan, S., Wasay, M., McDermott, C., Iversen, H. K., Lanas, F., Al-Hussain, F., Czlonkowska, A., Oguz, A., Ogunniyi, A., Damasceno, A., Xavier, D., Avezum, A., ... the INTERSTROKE investigators. (2023). Depressive symptoms and risk of acute stroke: INTERSTROKE case-control study. *Neurology*, 100(17), e1787–e1798. <https://doi.org/10.1212/WNL.0000000000207093>
- National Council on Aging. (2025). *How common is depression in older adults?* Retrieved October 23, 2025, from <https://www.ncoa.org/article/how-common-is-depression-in-older-adults/>
- National Initiative for the Care of the Elderly. (2024). *Alcohol use and older adults in Canada*. Retrieved April 12, 2025, from <https://www.nicen.ca/articles/alcohol-use-and-older-adults-in-canada>
- National Institute of Mental Health. (2025). *Suicide*. Retrieved April 8, 2025, from <https://www.nimh.nih.gov/health/statistics/suicide>
- Navaneelan, T. (2017). *Suicide rates: An overview* (no. 82-624-X). Statistics Canada. <https://www150.statcan.gc.ca/n1/pub/82-624-x/2012001/article/11696-eng.htm>
- Neufeld, E., Freeman, S., Spigriene, L., & Horwath, U. (2020). A cross-sectoral comparison of prevalence and predictors of symptoms of depression over time among older adults in Ontario, Canada. *Journal of Geriatric Psychiatry and Neurology*, 34(1), 11–20. <https://doi.org/10.1177/0891988720901790>
- Novilla-Surette, E. N. P., Shariff, S. Z., Math, B., Le, B., & Booth, R. G. (2022). Trends and factors associated with suicide deaths in older adults in Ontario, Canada. *Canadian Geriatrics Journal*, 25(2), 134–161. <https://cgjonline.ca/index.php/cgj/article/view/541>
- Nutley, S., Nguyen, B. K., Mackin, R. S., Insel, P. S., Tosun, D., Butters, M., Aisen, P., Raman, R., Saykin, A. J., Toga, A. W., Jack, C., Weiner, M. W., Nelson, C., Kassel, M., Kryza-Lacombe, M., Eichenbaum, J., Nosheny, R. L., & Mathews, C. A. (2024). Relationship of hoarding and depression symptoms in older adults. *American Journal of Geriatric Psychiatry*, 32(4), 497–508. <https://doi.org/10.1016/j.jagp.2023.11.006>
- Oh, D. J., Han, J. W., Kim, T. H., Kwak, K. P., Kim, B. J., Kim, S. G., Kim, J. L., Moon, S. W., Park, J. H., Ryu, S. -H., Youn, J. C., Lee, D. Y., Lee, D. W., Lee, S. B., Lee, J. J., Jhoo, J. H., & Kim, K. W. (2020). Epidemiological characteristics of subsyndromal depression in late life. *The Australian and New Zealand Journal of Psychiatry*, 54(2), 150–158. <https://doi.org/10.1177/0004867419879242>

- Orsega-Smith, E., Goodwin, S., Ziegler, M., Greenawalt, K., Turner, J., & Rathie, E. (2019). Aging and the Art of Happiness: Time effects of a positive psychology program with older adults. *OBM Geriatrics*, 3(1), Article 029. <http://dx.doi.org/10.21926/obm.geriatr.1901029>
- Ortolá, R., Sotos-Prieto, M., García-Esquinas, E., Galán, I., Rodríguez-Artalejo, F. (2024). Alcohol consumption patterns and mortality among older adults with health-related or socioeconomic risk factors. *Jama Open*, 7(8), Article e2424495. <https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2822215>
- Pabst, A., Löbner, M., Stein, J., Lupp, M., Kersting, A., König, H. -H., & Riedel-Heller, S. G. (2020). Internet-based cognitive behavior therapy only for the young? A secondary analysis of a randomized controlled trial of depression treatment. *Frontiers in Psychiatry*, 11, Article 735. <https://doi.org/10.3389/fpsy.2020.00735>
- Padayachey, U., Ramlall, S., & Chipps, J. (2017). Depression in older adults: Prevalence and risk factors in a primary health care sample. *South African Family Practice*, 59(2), 61–66. <https://doi.org/10.1080/20786190.2016.1272250>
- Palumbo, D., & Galderisi, S. (2020). Controversial issues in current definitions of mental health. *Archives of Psychiatry and Psychotherapy*, 1, 7–11. <http://dx.doi.org/10.12740/APP/118064>
- Paradis, C., Butt, P., & Members of the Low-Risk Alcohol Drinking Guidelines Scientific Expert Panels. (2023). *Canada's guidance on alcohol and health: final report*. Canadian Centre on Substance Use and Addiction. https://www.ccsa.ca/sites/default/files/2023-01/CCSA_Canadas_Guidance_on_Alcohol_and_Health_Final_Report_en.pdf
- Patten, S. B., Williams, J. V. A., Lavorato, D. H., Wang, J. L., McDonald, K., & Bulloch, A. G. M. (2015). Descriptive epidemiology of major depressive disorder in Canada in 2012. *The Canadian Journal of Psychiatry*, 60(1), 23–30. <https://doi.org/10.1177/070674371506000106>
- Pepin, R., Segal, D. L., & Coolidge, F. L. (2009). Intrinsic and extrinsic barriers to mental health care among community dwelling younger and older adults. *Aging and Mental Health*, 13(5), 769–777. <https://doi.org/10.1080/13607860902918231>
- Petro, N. M., Basyouni, R., & Neta, M. (2021). Positivity effect in aging: evidence for the primacy of positive responses to emotional ambiguity. *Neurobiology of Aging*, 106, 232–240. <https://doi.org/10.1016/j.neurobiolaging.2021.06.015>
- Pettit, S., Qureshi, A., Lee, W., Stirzaker, A., Gibson, A., Henley, W., & Byng, R. (2017). Variation in referral and access to new psychological therapy services by age: An empirical quantitative study. *British Journal of General Practice*, 67(660), e453–e459. <https://doi.org/10.3399/bjgp17x691361>
- Phan, H. P., Ngu, B. H., Chen, S. C., Wu, L., Shi, S. Y., Lin, R. Y., Shih, J. H., & Wang, H. W. (2020). Advancing the study of positive psychology: The use of a multifaceted structure of mindfulness for development. *Frontiers in Psychology*, 11, Article 1602. <https://doi.org/10.3389/fpsyg.2020.01602>
- Postlethwaite, A., Kellett, S., & Mataix-Cols, D. (2019). Prevalence of Hoarding Disorder: A systematic review and meta-analysis. *Journal of Affective Disorders*, 256, 309–316. <https://doi.org/10.1016/j.jad.2019.06.004>
- Public Health Agency of Canada. (2006). *The human face of mental illness in Canada 2006*. Minister of Public Works and Government Services. https://www.phac-aspc.gc.ca/publicat/human-humain06/pdf/human_face_e.pdf
- Public Health Agency of Canada. (2023). *Suicide in Canada: Key statistics* (infographic). Government of Canada. Retrieved October 26, 2025, from <https://www.canada.ca/en/public-health/services/publications/healthy-living/suicide-canada-key-statistics-infographic.html>
- Pywell, J., Vijaykumar, S., Dodd, A., & Coventry, L. (2020). Barriers to older adults' uptake of mobile-based mental health interventions. *Digital Health*, 11(6), Article 2055207620905422. <https://doi.org/10.1177/2055207620905422>
- Raue, P. J., Ghesquiere, A. R., & Bruce, M. L. (2014). Suicide risk in primary care: Identification and management in older adults. *Current Psychiatry Reports*, 16(9), Article 466. <https://doi.org/10.1007/s11920-014-0466-8>
- Reiner, I. C., Tibubos, A. N., Werner, A. M., Ernst, M., Brähler, E., Wiltink, J., Michal, M., Schulz, A., Wild, P. S., Münzel, T., Arnold, N., Mahmoudpour, S. H., Lackner, K. J., Pfeiffer, N., & Beutel, M. E. (2020). The association of chronic anxiousness with cardiovascular disease and mortality in the community: Results from the Gutenberg Health Study. *Scientific Reports*, 10(1), Article 12436. <https://doi.org/10.1038/s41598-020-69427-8>
- Reinhardt, M., Ghoneim, D., Murante, T., Nelson, E., Vargas, P., & Mincer, S. (2019). Assessment and diagnosis of psychotic symptoms in older adults. In C. Cohen & P. Meesters (Eds.), *Schizophrenia and psychoses in later life: New perspectives on treatment, research, and policy* (pp. 27–46). Cambridge University Press.
- Renn, B. N., Mosser, B. A., & Raue, P. J. (2020). Problem-solving therapy. In R. R. Tampi, B. C. Yarns, K. F. Zdanys, & D. J. Tampi (Eds.), *Psychotherapy in later life* (pp. 75–91). Cambridge University Press. <https://doi.org/10.1017/9781108693905.007>
- Reynolds, C. F. (2024). Interpersonal psychotherapy in older adults with major depression. In M. M. Weissman & J. Mootz (Eds.), *Interpersonal psychotherapy* (pp. 393–397). Oxford University Press. <https://doi.org/10.1093/oso/9780197652084.003.0047>
- Reynolds, K., Pietrzak, R. H., El-Gabalaway, R., MacKenzie, C. S., & Sareen, J. (2015). Prevalence of psychiatric disorders in U.S. older adults: Findings from a nationally representative survey. *World Psychiatry*, 4(1), 74–81. <https://doi.org/10.1002/wps.20193>
- Rezaee, M., Darroudi, H., Etemad, L., Shad, A. N., Zardast, Z., Kohansal, H., Ghayour-Mobarhan, M., Sadeghian, F., Moohebbati, M., Esmaily, H., Darroudi, S., & Ferns, G. A. (2024). Anxiety, a significant risk factor for coronary artery disease: What is the best index. *BMC Psychiatry*, 24, Article 443. <https://doi.org/10.1186/s12888-024-05798-w>
- Roane, D. M., Landers, A., Sherratt, J., & Wilson, G. S. (2017). Hoarding in the elderly: A critical review of the recent literature. *International Psychogeriatrics*, 29(7), 1077–1084. <https://doi.org/10.1017/S1041610216002465>
- Rodriguez, C., & Frost, R. O. (2025). *Hoarding Disorder*. American Psychiatric Association. Retrieved April 14, 2025, from <https://www.psychiatry.org/patients-families/hoarding-disorder>
- Rotermann, M. (2021). Looking back from 2020, how cannabis use and related behaviours changed in Canada. *Health Reports*, 32(4), 3–14. <https://doi.org/10.25318/82-003-x202100400001-eng>
- Sadek, J., Diaz-Piedra, B., Saleh, L., & MacDonald, L. (2024). A narrative review: Suicide and suicidal behaviour in older adults. *Frontiers in Psychiatry*, 15, Article 1395462. <https://doi.org/10.3389/fpsy.2024.1395462>

- Sawchuk, C. (2025). *Depression (major depressive disorder)*. May Clinic. Retrieved October 29, 2025, from <https://www.mayoclinic.org/diseases-conditions/depression/symptoms-causes/syc-20356007>
- Schulz, R., & Heckhausen, J. (1996). A life span model of successful aging. *The American Psychologist*, 51(7), 702–714. <https://doi.org/10.1037//0003-066x.51.7.702>
- Seligman, M. E., & Csikszentmihalyi, M. (2000). Positive psychology: An introduction. *American Psychologist*, 55(1), 5–14. <https://doi.org/10.1037/0003-066X.55.1.5>
- Shang, P., Cao, X., You, S., Feng, X., Li, N., & Jia, Y. (2020). Problem-solving therapy for major depressive disorders in older adults: An updated systematic review and meta-analysis of randomized controlled trials. *Aging Clinical and Experimental Research*, 33(6), 1465–1475. <https://doi.org/10.1007/s40520-020-01672-3>
- Skosireva, S., Gobessi, L., Eskes, G., & Cassidy, K. -L. (2025). Effectiveness of enhanced group cognitive behaviour therapy for older adults (CBT-OA) with depression and anxiety: A replication study. *International Psychogeriatrics*, 37(2), Article 100013. <https://doi.org/10.1016/j.inpsyc.2024.100013>
- Smith, N., & Conde, A. (2024). *Hoarding behaviour and housing insecurity for older adults*. Sage Seniors Association. <https://www.mysage.ca/public/download/files/240196>
- Smith, J. L., & Hanni, A. A. (2019). Effects of a savoring intervention on resilience and well-being of older adults. *Journal of Applied Gerontology*, 38(1), 137–152. <https://doi.org/10.1177/0733464817693375>
- Smith, R., Wuthrich, V., Johnco, C., & Belcher, J. (2020). Effect of group cognitive behavioural therapy on loneliness in a community sample of older adults: A secondary analysis of a randomized controlled trial. *Clinical Gerontologist*, 44(4), 439–449. <https://doi.org/10.1080/07317115.2020.1836105>
- Sobieraj, D. M., Baker, W. L., Martinez, B. K., Hernandez, A. V., Coleman, C. I., Ross, J. S., Berg, K. M., & Steffens, D. C. (2019). Adverse effects of first-line pharmacologic treatments of major depression in older adults. *American Geriatric Society*, 67(8), 1571–1581. <https://doi.org/10.1111/jgs.15966>
- Solmi, M., Radua, J., Olivola, M., Croce, M., Soardo, L., Salazar de Pablo, G., Shin, J. I., Kirkbride, J. B., Jones, P., Kim, J. H., Kim, J. Y., Carvalho, A. F., Seeman, M. V., Correl, C. U., & Fusar-Poli, P. (2021). Age at onset of mental disorders worldwide: Large-scale meta-analysis of 192 epidemiological studies. *Molecular Psychiatry*, 27, 281–295. <https://doi.org/10.1038/s41380-021-01161-7>
- Sordo Vieira, L., Guastello, A., Nguyen, B., Nutley, S. K., Ordway, A., Simpson, H., Zakrzewski, J., Archer, C., Liu, N., Jean Gilles, M. E., Nosheny, R., Weiner, M., Mackin, E. S., & Mathews, C. A. (2022). Identifying psychiatric and neurological comorbidities associated with hoarding disorder through network analysis. *Journal of Psychiatric Research*, 156, 16–24. <https://doi.org/10.1016/j.jpsychires.2022.09.037>
- Srifuengfung, M., Pennington, B. R. T., & Lenze, E. J. (2023). Optimizing treatment for older adults with depression. *Therapeutic Advances in Psychopharmacology*, 13, Article 20451253231212327. <https://doi.org/10.1177/20451253231212327>
- Statistics Canada. (2019a). *Control and sale of alcoholic beverages, year ending March 31, 2018* (Catalogue No. 11-001-X). <https://www150.statcan.gc.ca/n1/daily-quotidien/190423/dq190423a-eng.htm>
- Statistics Canada. (2019b). *Mental health care needs, 2018* (no. 82-625-X). <https://www150.statcan.gc.ca/n1/pub/82-625-x/2019001/article/00011-eng.htm>
- Statistics Canada. (2022). *Chart 1: Percentage of Canadians reporting very good or excellent mental health, by age group and period, Canada, excluding the Territories*. Retrieved March 27, 2025, from <https://www150.statcan.gc.ca/n1/daily-quotidien/220607/cg-e001-eng.htm>
- Statistics Canada. (2024a). *A snapshot of alcohol consumption levels in Canada: Half of Canadian adults reported not drinking any alcohol in the past seven days, 2023* (no. 11-001-X). <https://www150.statcan.gc.ca/n1/daily-quotidien/241002/dq241002a-eng.htm>
- Statistics Canada. (2024b). *Control and sale of alcoholic beverages and cannabis, April 1, 2022, to March 31, 2023* (no. 11-001-X). <https://www150.statcan.gc.ca/n1/daily-quotidien/240306/dq240306a-eng.htm>
- Stefaniak, A. R., Blaxton, J. M., & Bergeman, C. S. (2021). Age differences in types and perceptions of daily stress. *The International Journal of Aging and Human Development*, 94(2), 215–233. <https://doi.org/10.1177/00914150211001588>
- Steketee, G., & Frost, R. O. (2014). Phenomenology of hoarding. In R. O. Frost & G. Steketee (Eds.), *The Oxford handbook of hoarding and acquiring* (pp. 19–32). Oxford University Press.
- Stene-Larsen, K., & Reneflot, A. (2017). Contact with primary and mental health care prior to suicide: A systematic review of the literature from 2000 to 2017. *Scandinavian Journal of Public Health*, 47(1), 9–17. <https://doi.org/10.1177/1403494817746274>
- Stephenson, E. (2023). *Insights on Canadian Society. Mental disorders and access to mental health care* (no. 75-006-X). Statistics Canada. <https://www150.statcan.gc.ca/n1/pub/75-006-x/2023001/article/00011-eng.pdf>
- Subramanyam, A. A., Kedare, J., Singh, O. P., & Pinto, C. (2018). Clinical practice guidelines for geriatric anxiety disorders. *Indian Journal of Psychiatry*, 60(3), S371–S382. <https://doi.org/10.4103/0019-5545.224476>
- Substance Abuse and Mental Health Services Administration. (2020). *Treating substance use disorder in older adults: Treatment Improvement Protocol—Tip 26*. https://library.samhsa.gov/sites/default/files/SAMHSA_Digital_Download/PEP20-02-01-011%20PDF%20508c.pdf
- Tampi, R. R. (2021). Diagnosing and treating psychotic disorders in late life. *Psychiatric Times*, 38(8). <https://www.psychiatrictimes.com/view/diagnosing-treating-psychotic-disorders-late-life>
- Tampi, R. R., & Tampi, D. J. (2020). The most prevalent psychiatric disorders in older adults. *Psychiatric Times*, 37(7). <https://www.psychiatrictimes.com/view/most-prevalent-psychiatric-disorder-older-adults>
- Tampi, R. R., Young, J., Hoq, R., Resnick, K., & Tampi, D. (2019). Psychotic disorders in late life: A narrative review. *Therapeutic Advances in Psychopharmacology*, 9, Article 2045125319882798. <https://doi.org/10.1177/2045125319882798>
- Theurer, K. A., Stone, R. L., Suto, M., Timonen, V., Brown, S. G., & Mortenson, W. B. (2020). 'It makes life worthwhile!' Peer mentoring in long-term care—A feasibility study. *Aging and Mental Health*, 25(10), 1887–1896. <https://doi.org/10.1080/13607863.2020.1849023>
- Titov, N., Fogliati, V. J., Staples, L. G., Gandy, M., Johnston, L., Wootton, B., Nielssen O., & Dear, B. F. (2016). Treating anxiety and depression in older adults: Randomised controlled trial comparing guided vs. self-guided internet-delivered cognitive-behavioural therapy. *BJPsych Open*, 2(1), 50–58. <https://doi.org/10.1192/bjpo.bp.115.002139>

- Tumati, S., Lanctôt, K. L., Wang, R., Li, A., Davis, A., & Herrmann, N. (2021). Medical cannabis use among older adults in Canada: Self-reported data on types and amount used, and perceived effects. *Drugs Aging*, 39(2), 153–163. <https://doi.org/10.1007/s40266-021-00913-y>
- Turner, S., Mota, N., Bolton, J., & Sareen, J. (2018). Self-medication with alcohol or drugs for mood and anxiety disorders: A narrative review of the epidemiological literature. *Depression & Anxiety*, 35(9), 851–860. <https://doi.org/10.1002/da.22771>
- Tyrer, P. (2014). A comparison of DSM and ICD classifications of mental disorder. *Advances in Psychiatric Treatment*, 20(4), 280–285. <https://doi.org/10.1192/apt.bp.113.011296>
- U.S. Centers for Disease Control and Prevention. (2024). *Depression and aging*. <https://www.cdc.gov/healthy-aging/about/depression-aging.html>
- Vankar, P. (2024). *Death rate for intentional self-harm (suicide) in Canada in 2021, by province or territory (per 100,000 population)*. Statista. <https://www.statista.com/statistics/1318446/death-rate-for-suicide-in-canada-by-province-or-territory/>
- Van Orden, K. A., Bower, E., Lutz, J., Silva, C., Gallegos, A. M., Podgorski, C. A., Santos, E. J., & Conwell, Y. (2020). Strategies to promote social connections among older adults during “social distancing” restrictions. *The American Journal of Geriatric Psychiatry*, 29(8), 816–827. <https://doi.org/10.1016/j.jagp.2020.05.004>
- Vasiliadis, H. -M., Desjardins, F., Roberge, P., & Grenier, S. (2020). Sex differences in anxiety disorders in older adults. *Current Psychiatry Reports*, 22(12), Article 75. <https://doi.org/10.1007/s11920-020-01203-x>
- Vos, M., van Soest, A. P. M., van Wingerden, T., Janse, M. L., Dijk, R. M., Brouwer, R. J., de Konig, I., Feskens, E. J. M., & Sierksma, A. (2020). Exploring the influence of alcohol industry funding in observational studies on moderate alcohol consumption and health. *Advances in Nutrition*, 11(5), 1384–1391. <https://doi.org/10.1093/advances/nmaa052>
- Wadsworth, E., Cristiano, N., Gabrys, R., Renard, J., & Hammond, D. (2023). Cannabis consumption among adults aged 55–65 in Canada, 2018–2021. *Journal of Drug Issues*, 55(1), 33–49. <https://doi.org/10.1177/00220426231190022>
- Weiss, E. R., Landers, A., Todman, M., & Roane, D. M. (2020). Treatment outcomes in older adults with hoarding disorder: The impact of self-control, boredom and social support. *Australasian Journal of Ageing*, 39(4), 375–380. <https://doi.org/10.1111/ajag.12817>
- Wells, J., Kennedy, C., Bain, H., & Lee, S. H. (2020). The experiences of older adults with a diagnosed functional mental illness, their careers and healthcare professionals in relation to mental health service delivery: An integrative review. *Journal of Clinical Nursing*, 29(1–2), 31–52. <https://doi.org/10.1111/jocn.15067>
- White, A. (2025). *Alcohol-medication interactions: Potentially dangerous mixes*. National Institute on Alcohol Abuse and Alcoholism. Retrieved April 12, 2025, from <https://www.niaaa.nih.gov/health-professionals-communities/core-resource-on-alcohol/alcohol-medication-interactions-potentially-dangerous-mixes>
- White, B. (2020). *Evidence brief: Virtual and remote mental health care for older adults*. Centre for Addiction and Mental Health. <https://www.eenet.ca/resource/evidence-brief-virtual-and-remote-mental-health-care-older-adults>
- World Health Organization. (n.d.). *International statistical classification of diseases and related health problems (ICD)*. <https://www.who.int/standards/classifications/classification-of-diseases>
- World Health Organization (2018). *Global status report on alcohol and health*, 2018. <https://www.who.int/publications/i/item/9789241565639>
- World Health Organization. (2019). *Suicide in the world: Global health estimates*. <https://apps.who.int/iris/bitstream/handle/10665/326948/WHO-MSD-MER-19.3-eng.pdf>
- World Health Organization. (2021a). *Comprehensive Mental Health Action Plan 2013–2030*. <https://www.who.int/publications/i/item/9789240031029>
- World Health Organization. (2021b). *Mental Health ATLAS 2020*. <https://www.who.int/publications/i/item/9789240036703>
- World Health Organization. (2021c). *One in 100 deaths is by suicide*. Retrieved April 8, 2025, from <https://www.who.int/news/item/17-06-2021-one-in-100-deaths-is-by-suicide>
- World Health Organization. (2023a). *Mental health of older adults*. Retrieved June 4, 2025, from <https://www.who.int/news-room/fact-sheets/detail/mental-health-of-older-adults>
- World Health Organization. (2023b). *No level of alcohol consumption is safe for our health*. Retrieved April 9, 2025, from <https://www.who.int/europe/news/item/04-01-2023-no-level-of-alcohol-consumption-is-safe-for-our-health>
- World Health Organization. (2024). *Alcohol*. <https://www.who.int/news-room/fact-sheets/detail/alcohol>
- World Health Organization. (2025a). *Mental disorders*. Retrieved April 8, 2025, from <https://www.who.int/news-room/fact-sheets/detail/mental-disorders>
- World Health Organization. (2025b). *Mental health*. Retrieved March 27, 2025, from <https://www.who.int/news-room/fact-sheets/detail/mental-health-strengthening-our-response>
- Wuthrich, V. M., & Frei, J. (2015). Barriers to treatment for older adults seeking therapy. *International Psychogeriatrics*, 27(7), 1227–1236. <https://doi.org/10.1017/s1041610215000241>
- Xiang, X., Sun, Y., Smith, S., Ho, P., Lai, L., & Himle, J. (2020). Internet-based cognitive behavioral therapy for depression: A feasibility study for home care older adults. *Research on Social Work Practice*, 30(7), 791–801. <https://doi.org/10.1177/1049731520927783>
- Xiang, X., Wu, S., Zuverink, A., Tomasino, K. N., An, R., & Himle, J. A. (2019). Internet-delivered cognitive behavioral therapies for late-life depressive symptoms: A systematic review and meta-analysis. *Ageing and Mental Health*, 24(8), 1196–1206. <https://doi.org/10.1080/13607863.2019.1590309>
- Yesavage, J. A., Brink, T. L., Rose, T. L., Lum, O., Huang, V., Adey, M., & Leirer, V. O. (1982–1983). Development and validation of a geriatric depression screening scale: A preliminary report. *Journal of Psychiatric Residence*, 17(1), 37–49. [https://doi.org/10.1016/0022-3956\(82\)90033-4](https://doi.org/10.1016/0022-3956(82)90033-4)
- Yroni, A., Blanc, O., Anguill, L., Arbus, C., Boudieu, L., Patoz, M.-C., Arnould, A., Charpeaud, T., Genty, J. -B., Abidine, R., Redon, M., Rey, R., Aouizerate, B., Bennabi, D., El-Hage, W., Etain, B., Holtzman, J., Leboyer, M., Molière, F., ... Samalin, L. (2024). Adherence to clinical practice guidelines for using electroconvulsive therapy in elderly depressive patients. *BMC Psychiatry*, 24, Article 487. <https://doi.org/10.1186/s12888-024-05933-7>
- Zarit, S. H. (2009). A good old age: Theories of mental health and aging. In V. L. Bengtson, D. Gans, N. M. Pulney, & M. Silverstein (Eds.), *Handbook of theories of aging* (2nd ed., pp. 675–691). Springer.

- Zeng, J., Qiu, Y., Yang, C., Fan, X., Zhou, X., Zhang, C., Zhu, S., Long, Y., Hashimoto, K., Chang, L., & Wei, Y. (2025). Cardiovascular diseases and depression: A meta-analysis and Mendelian randomization analysis. *Molecular Psychiatry*, 30(9), 4234-4246. <https://doi.org/10.1038/s41380-025-03003-2>
- Zhang, X., Norton, J., Carrière, I., Ritchie, K., Chaudieu, I., & Ancelin, M. L. (2015). Risk factors for late-onset generalized anxiety disorder: results from a 12-year prospective cohort (the ESPRIT study). *Translational Psychiatry*, 5(3), Article 536. <https://doi.org/10.1038/tp.2015.31>
- Zhang, Y., Chen, Y., & Ma, L. (2018). Depression and cardiovascular disease in elderly: Current understanding. *Clinical Neuroscience*, 47, 1–5. <https://doi.org/10.1016/j.jocn.2017.09.022>
- Zilles, D. (2018). Beneficial effects of electroconvulsive therapy in elderly people. *The Lancet Psychiatry*, 5(9), 697–698. [https://www.thelancet.com/journals/lanpsy/article/PIIS2215-0366\(18\)30264-5/fulltext](https://www.thelancet.com/journals/lanpsy/article/PIIS2215-0366(18)30264-5/fulltext)
- Zuverink, A., & Xiang, X. (2020). Anxiety and unmet needs for assistance with daily activities among older adults. *Journal of Aging and Health*, 32(5–6), 491–500. <https://doi.org/10.1177/0898264319830805>